
Article wrapper

1. imagedata/@fileref + numbering + sep.

```
@rem = '---*-Perl-*--'
@echo off
perl.exe %_batchname %$
goto endofperl
@rem ';

# Compress mail...

require 'n:/home/nwalsh/lib/cygnus.pl';
require 'timelocal.pl';
use Cwd;

select (STDERR); $| = 1;
select (STDOUT); $| = 1;

@DIRS = ("~/home/nwalsh/Mail");
while (@DIRS) {
    $dir = shift @DIRS;
    opendir (DIR, $dir);
    while ($fname = readdir(DIR)) {
        $file = "$dir/$fname";
        next if ! -d $file;
        next if $fname =~ /^\.\.?$/;

        print "$file\n";
        push (@DIRS, $file);
        &compress ($file);
    }
}
exit;
```

2. inlinegraphic/@fileref + numbering

```
@rem = '---*-Perl-*--'
@echo off
perl.exe %_batchname %$
goto endofperl
@rem ';

# Compress mail...

require 'n:/home/nwalsh/lib/cygnus.pl';
require 'timelocal.pl';
use Cwd;
```

```

select (STDERR); $| = 1;
select (STDOUT); $| = 1;

@DIRS = ("~/home/nwalsh/Mail");
while (@DIRS) {
    $dir = shift @DIRS;
    opendir (DIR, $dir);
    while ($fname = readdir(DIR)) {
        $file = "$dir/$fname";
        next if ! -d $file;
        next if $fname =~ /^\.\\.?$/;

        print "$file\n";
        push (@DIRS, $file);
        &compress ($file);
    }
}

exit;

```

3. textdata/@fileref w/o numbering or sep

```

@rem = '---*-Perl-*--'
@echo off
perl.exe %_batchname %$%
goto endofperl
@rem ';

# Compress mail...

require 'n:/home/nwalsh/lib/cygnus.pl';
require 'timelocal.pl';
use Cwd;

select (STDERR); $| = 1;
select (STDOUT); $| = 1;

@DIRS = ("~/home/nwalsh/Mail");
while (@DIRS) {
    $dir = shift @DIRS;
    opendir (DIR, $dir);
    while ($fname = readdir(DIR)) {
        $file = "$dir/$fname";
        next if ! -d $file;
        next if $fname =~ /^\.\\.?$/;

        print "$file\n";
        push (@DIRS, $file);
        &compress ($file);
    }
}

```

FIXME:

```
exit;
```